00 91 13

ADDENDUM NO. 2

DATE: November 21, 2024

FROM: Baxter & Woodman, Inc., Consulting Engineers

TO: Planholders of record for the Work titled:

City of Joliet, Illinois
Marquette Park Water Main Improvements
City of Joliet Contract No. 2857-0125

The Bidding Documents are amended as follows:

1. SPECIFICATIONS

A. Section 01 22 29, MEASUREMENT AND PAYMENT:

Page 01 22 29-27, delete paragraph 1.47 A.1.f through A.1.i and replace with the following:

"f. Install Bituminous Materials (Prime Coat).
g. Place hot-mix asphalt Surface Course, (3-inch compacted depth).
h. Utilize driveway mix for Surface Course if so directed by Engineer."

B. Section 32 10 00.19, STREET, DRIVEWAY, AND SIDEWALK REPLACEMENT:

Page 32 10 00.19-6, delete paragraph 3.5 A.1.a. and replace with the following:

"a. For hot-mix asphalt driveways, install hot-mix asphalt surface course with a minimum thickness of 3 inches."

Nothing in this Addendum shall be construed as changing other requirements of the Bidding Documents. Each Bidder shall acknowledge receipt of this Addendum where indicated in the Bid Form.

END OF ADDENDUM NO. 2